Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-9 (Canceled).

10. (New) A closure panel assembly for a vehicle, comprising:

a closure panel selected from the group consisting of a door assembly and a liftgate assembly capable of movement between an open position and a closed position; and

a garment hook assembly mounted to said closure panel,

wherein when said closure panel is closed, said garment hook is presented to an interior space of the vehicle.

- 11. (New) A closure panel assembly according to claim 10, wherein said garment hook assembly is pivotally mounted to an inner panel of said closure panel for movement between a first position and a second position.
- 12. (New) A closure panel assembly according to claim 10, wherein said closure panel comprises the liftgate assembly of the vehicle, and wherein movement of the liftgate assembly from said closed position to said open position causes said garment hook assembly to move from a first position to a second position.
- 13. (New) A closure panel assembly according to claim 12, wherein said garment hook assembly is pivotally mounted to said closure panel.
- 14. (New) A closure panel assembly according to claim 12, wherein said garment hook assembly is automatically moved from said first position to said second position.

- 15. (New) A closure panel assembly according to claim 10, wherein said garment hook assembly comprises a hook portion and a base portion.
- 16. (New) A closure panel assembly according to claim 11, wherein said hook assembly is capable of retaining garments when said garment hook assembly is positioned in either said first position or said second position.
- 17. (New) A closure panel assembly according to claim 15, wherein said closure panel defines a recess, and wherein at least a portion of said hook portion is received in said recess when said garment hook assembly is in said first position.
- 18. (New) A closure panel assembly according to claim 17, wherein said closure panel includes an inner panel, and wherein at least a portion of said inner panel defines said recess.
- 19. (New) A closure panel assembly according to 17, wherein at least a portion of said hook portion extends outwardly from said recess when said garment hook assembly is in said second position.
- 20. (New) A closure panel assembly according to claim 10, wherein movement of said closure panel from the closed position to the open position moves at least a portion of said garment hook assembly from an interior of the vehicle to an exterior of the vehicle.
- 21. (New) An assembly for a vehicle, the vehicle having an interior portion, said assembly comprising:

a panel adapted to move between an open position and a closed position, and adapted to close out a vehicular opening in the closed position; and a hook assembly attached to said panel,

wherein when said panel is closed, said hook assembly is presented to the interior portion of the vehicle.

- 22. (New) An assembly according to claim 21, wherein said hook assembly is adapted to pivot between first and second positions.
- 23. (New) An assembly according to claim 22, wherein said hook assembly is adapted to move between said first and second positions based on movement of said panel.
- 24. (New) An assembly according to claim 22, wherein said hook assembly is adapted to pivot between said first and second positions based on movement of said panel.
- 25. (New) An assembly according to claim 22, wherein said panel includes an inner panel.
- 26. (New) An assembly according to claim 25, wherein said hook assembly is mounted to said inner panel.
- 27. (New) An assembly according to claim 25, wherein at least a portion of said inner panel defines a recess adapted to house said hook assembly.
- 28. (New) An assembly according to claim 27, wherein said hook assembly includes a base portion and a hook portion.
- 29. (New) An assembly according to claim 28, wherein said recess houses said hook portion and said base portion of said hook assembly when said hook assembly is in said first position, and further wherein said hook assembly extends from said recess when said hook assembly is in said second position.

30. (New) An assembly according to claim 22, wherein when said hook assembly moves to said second position, at least a portion of said hook assembly is presented to an exterior of the vehicle.